

# idResurrectionProxy

An entity to serve as a summoning location for Summoners.

## Usage

```
entity {
    entityDef example_ai_rez_proxy_1 {
        inherit = "ai/rez_proxy/default";
        class = "idResurrectionProxy";
        expandInheritance = false;
        poolCount = 0;
        poolGranularity = 2;
        edit = {
            renderModelInfo = {
                scale = {
                    x = 3;
                    y = 3;
                    z = 3;
                }
            }
        }
        availableSummons = { // all entitydefs this thing can spawn; this list should remain
            unchanged
            num = 14;
            item[ 0] = {
                characterDef = "ai/zombie/hell_base";
                portalDef = "ai/misc/generic_portal";
                fxDecl = "fx/creatures/rez/archvile_spawn";
            }
            item[ 1] = {
                characterDef = "ai/demon/lostspirit";
                portalDef = "ai/misc/generic_portal";
                fxDecl = "fx/creatures/rez/archvile_spawn";
            }
            item[ 2] = {
                characterDef = "ai/demon/imp";
                portalDef = "ai/misc/generic_portal";
            }
        }
    }
}
```

```
    fxDecl = "fx/creatures/rez/archvile_spawn";
}
item[ 3] = {
characterDef = "ai/demon/imp/imp_albino";
portalDef = "ai/misc/generic_portal";
fxDecl = "fx/creatures/rez/archvile_spawn";
}
item[ 4] = {
characterDef = "ai/hellified/marine_rifle";
portalDef = "ai/misc/generic_portal";
fxDecl = "fx/creatures/rez/archvile_spawn";
}
item[ 5] = {
characterDef = "ai/hellified/hell_base";
portalDef = "ai/misc/generic_portal";
fxDecl = "fx/creatures/rez/archvile_spawn";
}
item[ 6] = {
characterDef = "ai/demon/revenant";
portalDef = "ai/misc/generic_portal";
fxDecl = "fx/creatures/rez/archvile_spawn";
}
item[ 7] = {
characterDef = "ai/demon/cacodemon";
portalDef = "ai/misc/generic_portal";
fxDecl = "fx/creatures/rez/archvile_spawn";
}
item[ 8] = {
characterDef = "ai/demon/pinky";
portalDef = "ai/misc/generic_portal";
fxDecl = "fx/creatures/rez/archvile_spawn";
}
item[ 9] = {
characterDef = "ai/demon/pinky_spectre";
portalDef = "ai/misc/generic_portal";
fxDecl = "fx/creatures/rez/archvile_spawn";
}
item[ 10] = {
characterDef = "ai/demon/hellknight";
portalDef = "ai/misc/generic_portal";
```

```

    fxDecl = "fx/creatures/rez/archvile_spawn";
}

item[ 11 ] = {
    characterDef = "ai/demon/mancubus";
    portalDef = "ai/misc/generic_portal";
    fxDecl = "fx/creatures/rez/archvile_spawn";
}

item[ 12 ] = {
    characterDef = "ai/demon/mancubus_cyber";
    portalDef = "ai/misc/generic_portal";
    fxDecl = "fx/creatures/rez/archvile_spawn";
}

item[ 13 ] = {
    characterDef = "ai/demon/baron";
    portalDef = "ai/misc/generic_portal";
    fxDecl = "fx/creatures/rez/archvile_spawn";
}

radius = 242; // spawns are valid within this radius of the rez proxy
fxBaseEntity = "func/fx"; // base fx decl to use for summons
spawnTimeDecl = "base"; // decl describing spawn times for each ai type
spawnPosition = { // location of the rez proxy/summoning rift
    x = -877;
    y = 1823;
    z = -383.9997253418;
}
}
}

```

The location of the rez proxy is the physical location where the Summoner goes to place a summoning rift and summon.

---

Revision #1  
Created 24 August 2022 18:02:56 by Velser  
Updated 22 August 2023 19:56:42 by Velser